



In Cooperation with



Most Widely Accepted and Trusted

# ICC-ES Report

# PMG-1223

Reissued 05/2017

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

This report is subject to renewal 05/2018

EVALUATION SUBJECT:

## SHOWER TRAYS

**DIVISION:**

22 00 00—PLUMBING

**SECTION:**

22 40 00—PLUMBING FIXTURES

Report Holder:

**DLP LTD. / AKW MEDICARE**

UNIT L, SNUGBOROUGH  
BRADDAN, ISLE OF MAN, BRITISH ISLES – IM4 4LH  
UNITED KINGDOM



Look for the ICC-ES marks of Conformity!



ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report. Copyright © 2017 ICC Evaluation Service, LLC. All rights reserved.



## ICC-ES PMG Product Certificate

**PMG-1223**

Effective Date: May 2017

This listing is subject to re-examination in one year.



[www.icc-es-pmg.org](http://www.icc-es-pmg.org) | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING  
Section: 22 40 00—Plumbing Fixtures

### Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Shower Trays

Listee: DLP Ltd. / AKW Medi-Care Ltd.  
Unit L, Snugborough  
Braddan, Isle of Man  
British Isles – IM4 4LH  
United Kingdom  
[www.dlplimited.com](http://www.dlplimited.com)

### Additional Listee:

ARC, Inc  
7 Tiff Avenue  
Neilsville, WI 54456  
[www.arcfirst.net](http://www.arcfirst.net)

### Compliance with the following codes:

2015, 2012 and 2009 *International Residential Code*® (IRC)  
2015, 2012 and 2009 *International Plumbing Code*® (IPC)  
2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)\*  
2015, 2010 and 2005 National Plumbing Code of Canada (NPC)\*\*

\*Copyrighted publication of the International Association of Plumbing and Mechanical Officials

\*\* Copyrighted publication of the National Research Council Canada

### Compliance with the following standards:

CSA B45.5/IAPMO Z124-2017, Plastic Plumbing Fixtures

### Identification:

DLP Ltd. / AKW Medi-Care Ltd. Shower Trays described in this listing must be marked with the manufacturer's name, the model number, and the ICC-ES PMG listing mark.

## Installation:

DLP Ltd. / AKW Medi-Care Ltd. Shower Trays must be installed in accordance with the manufacturer's published instructions and the applicable codes.

Shower pans which include drain components must be installed in accordance with manufacturer's installation instruction and do not require weep holes. Shower drain components complied with ASME A112.18.2/CSA B125.2 and IAPMO PS 106.

## Models:

**Tuff Form™ (Shower Former Base)**

Model #	Description
Code 21000	TF 35-1/2" x 35-1/2" (900 x 900mm)
Code 21008	TF 39-3/8" x 39-3/8" (1000 x 1000mm)
Code 21012	TF 44-3/4" x 30-1/4" (1135 x 770mm)
Code 21018	TF 47-1/4" x 47-1/4" (1200 x 1200mm)
Code 21027	TF 51-1/4" x 32-1/4" (1300 x 820mm)
Code 21028	TF 55-1/8" x 35-1/2" (1400 x 900mm)
Code 21036	TF 59" x 32-1/4" (1500 x 820mm)
Code 21045	TF 59" x 47-1/4" (1500 x 1200mm)
Code 21050	TF 70-7/8" x 32-1/4" (1800 x 820mm)

**Mullen™ (Shower Former Base)**

Model #	Description
Code 26100	Mullen USA 42-3/16" x 42-3/16" Non Handed (38-7/16" x 38-7/16" Showering Area)
Code 26101L	Mullen USA 49-7/8" x 30-1/8" Left (46-1/8" x 26-3/8" Showering Area)
Code 26101R	Mullen USA 49-7/8" x 30-1/8" Right (46-1/8" x 26-3/8" Showering Area)
Code 26072L	Mullen USA 49-7/8" x 34-7/8" Left (46-1/8" x 31-1/8" Showering Area)
Code 26072R	Mullen USA 49-7/8" x 34-7/8" Right (46-1/8" x 31-1/8" Showering Area)
Code 26102L	Mullen USA 53-7/8" x 30-1/8" Left (50-1/8" x 26-3/8" Showering Area)
Code 26102R	Mullen USA 53-7/8" x 30-1/8" Right (50-1/8" x 26-3/8" Showering Area)
Code 26107L	Mullen USA 53-7/8" x 34-7/8" Left (50-1/8" x 31-1/8" Showering Area)
Code 26107R	Mullen USA 53-7/8" x 34-7/8" Right (50-1/8" x 31-1/8" Showering Area)
Code 26104L	Mullen USA 58-1/2" x 30-1/8" Left (54-3/4" x 26-3/8" Showering Area)
Code 26104R	Mullen USA 58-1/2" x 30-1/8" Right (54-3/4" x 26-3/8" Showering Area)
Code 26113	L Mullen USA 60" x 32" Left w/ TTL Kit (combined package) (57" x 27-1/2" Showering Area)
Code 26113	R Mullen USA 60" x 32" Right w/ TTL Kit (combined package) (57" x 27-1/2" Showering Area)
Code 26103	L Mullen USA 60" x 38-3/8" Left w/ TTL Kit (combined package) (57" x 33-9/16" Showering Area)
Code 26103	R Mullen USA 60" x 38-3/8" Right w/ TTL Kit (combined package) (57" x 33-9/16" Showering Area)
Code 26108	Mullen USA 72-1/4" x 30-1/4" w/ TTL Kit (combined package) (70-9/16" x 27-3/8" Showering Area)
Code 26192	Mullen USA 72-1/4" x 35" w/ TTL Kit (combined package) (70-9/16" x 32-1/4" Showering Area)
Code 26117	Mullen USA 63" x 34-1/2" (60" x 30" Showering Area)

**TriForm™ (Shower Former Base with linear waste)**

<u>Model #</u>	<u>Description</u>
Code 21205	TF 35-1/2" x 35-1/2" (900 x 900mm)
Code 21206	TF 39-3/8" x 39-3/8" (1000 x 1000mm)
Code 21207	TF 51-1/4" x 32-1/4" (1300 x 820mm)
Code 21208	TF 47-1/4" x 47-1/4" (1200 x 1200mm)
Code 21209	TF 47-1/4" x 35-1/2" (1200 x 900mm)

*Note: Models which include shower drain components complied with ASME A112.18.2/CSA B125.2 and IAPMO PS 106 and do not require weep holes.*

## Conditions of Listing:

1. DLP Ltd. / AKW Medi-Care Ltd. Shower Trays recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable codes.
2. DLP Ltd. / AKW Medi-Care Ltd. Shower Trays are under a quality control program with annual surveillance inspections by ICC-ES.

